






01

FITTINGS FOR  
GLASS SHOWERS  
**GOLD SERIES**

Swing hinge wall-glass 90° VERONA





VER-BJ-90-G



<b>Product code</b>	<b>Finish</b>
VER-BJ-90-G	gold
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge glass-glass 180° VERONA





VER-BJ-180-G



<b>Product code</b>	<b>Finish</b>
VER-BJ-180-G	gold
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge glass-glass 90° VERONA





VER-BJ-90GG-G



<b>Product code</b>	<b>Finish</b>
VER-BJ-90GG-G	gold
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle $\pm 10^\circ$ relative to starting position	

Swing hinge glass-glass 135° VERONA

VER-BJ-135-G









<b>Product code</b>	<b>Finish</b>
VER-BJ-135-G	gold
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle $\pm 10^\circ$ relative to starting position	

# „Gold Series” Hardware

## Lift hinge wall-glass 90° left VERONA SLIM







VER-SLIM-90-L-G



<b>Product code</b>	<b>Finish</b>
VER-SLIM-90-L-G	gold
<b>Properties</b>	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

## Lift hinge wall-glass 90° right VERONA SLIM




VER-SLIM-90-R-G



<b>Product code</b>	<b>Finish</b>
VER-SLIM-90-R-G	gold
<b>Properties</b>	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Lift hinge wall-glass 90° left VERONA SLIM




VER-SLIM-B90-L-G



Product code	Finish
VER-SLIM-B90-L-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Lift hinge wall-glass 90° right VERONA SLIM



VER-SLIM-B90-R-G



Product code	Finish
VER-SLIM-B90-R-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Lift hinge glass-glass left 180° VERONA SLIM



VER-SLIM-180-L-G



<b>Product code</b>	<b>Finish</b>
VER-SLIM-180-L-G	gold
<b>Properties</b>	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Lift hinge glass-glass right 180° VERONA SLIM



VER-SLIM-180-R-G



<b>Product code</b>	<b>Finish</b>
VER-SLIM-180-R-G	gold
<b>Properties</b>	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Connector wall-glass VERONA SLIM




VER-SLIM-900-G



<b>Product code</b>	<b>Finish</b>
VER-SLIM-900-G	gold
<b>Properties</b>	
<b>Glass thickness</b>	6-10 mm
<b>Material</b>	brass

Connector wall-glass 90° VERONA SLIM





VER-SLIM-901-G




<b>Product code</b>	<b>Finish</b>
VER-SLIM-901-G	gold
<b>Properties</b>	
<b>Glass thickness</b>	6-10 mm
<b>Material</b>	brass

Connector glass-glass 90° VERONA SLIM

VER-SLIM-902-G







<b>Product code</b>	<b>Finish</b>
VER-SLIM-902-G	gold
<b>Properties</b>	
Glass thickness	6-10 mm
Material	brass



Connector glass-glass VERONA SLIM

VER-SLIM-903-G





<b>Product code</b>	<b>Finish</b>
VER-SLIM-903-G	gold
<b>Properties</b>	
Glass thickness	6-10 mm
Material	brass



**Left corner stabilizer 220x140**



**C500L-G**



<b>Product code</b>	<b>Finish</b>
C500L-G	gold
<b>Properties</b>	
<b>Material</b>	brass
<b>Glass thickness</b>	8-12 mm
<b>Drilling holes in glass not needed</b>	

**Left corner stabilizer 220x140**



**C500R-G**



<b>Product code</b>	<b>Finish</b>
C500R-G	gold
<b>Properties</b>	
<b>Material</b>	brass
<b>Glass thickness</b>	8-12 mm
<b>Drilling holes in glass not needed</b>	

Three-way connector



NTKSQ803-G



Product code	Finish
NTKSQ803-G	gold
Properties	
Material	brass

Mounting wall-bar 90°



NTKSQ807-G



Product code	Finish
NTKSQ807-G	gold
Properties	
Material	brass

Open mounting bar-glass 90°



NTKSQ816-G



Product code	Finish
NTKSQ816-G	gold
Properties	
Material	brass

**Closed mounting bar-glass 90°**



**NTKSQ817-G**



<b>Product code</b>	<b>Finish</b>
NTKSQ817-G	gold
<b>Properties</b>	
<b>Material</b>	brass

**Mounting bar-glass-ceiling**



**NTKSQ817B-G**



<b>Product code</b>	<b>Finish</b>
NTKSQ817B-G	gold
<b>Properties</b>	
<b>Material</b>	brass

**Open mounting bar-glass 180°**



**NTKSQ818-G**



<b>Product code</b>	<b>Finish</b>
NTKSQ818-G	gold
<b>Properties</b>	
<b>Material</b>	brass

**Adjustable mounting wall-bar**



**NTKSQ819-G**



<b>Product code</b>	<b>Finish</b>
NTKSQ819-G	gold
<b>Properties</b>	
<b>Material</b>	brass

**Adjustable mounting bar-glass**




**NTKSQ820-G**



<b>Product code</b>	<b>Finish</b>
NTKSQ820-G	gold
<b>Properties</b>	
<b>Material</b>	brass

**Open side mounting bar-glass**






**NTKSQ821-G**



<b>Product code</b>	<b>Finish</b>
NTKSQ821-G	gold
<b>Properties</b>	
<b>Material</b>	brass

**Adjustable mounting bar-glass**




**NTKSQ822-G**



<b>Product code</b>	<b>Finish</b>
NTKSQ822-G	gold
<b>Properties</b>	
<b>Material</b>	brass

**Adjustable mounting bar-bar**


**NTKSQ823-G**



<b>Product code</b>	<b>Finish</b>
NTKSQ823-G	gold
<b>Properties</b>	
<b>Material</b>	brass






**Stabilizer bar 10x20mm**

**NTK1020-G**






<b>Product code</b>	<b>L</b>	<b>Finish</b>
NTK1020-1000-G	1000 mm	gold
NTK1020-1500-G	1500 mm	gold
<b>Properties</b>		
<b>Material</b>	stainless steel	

**Door knob**  
**NLO-GŁ-51-G**





<b>Product code</b>	<b>Finish</b>
NLO-GŁ-51-G	gold
<b>Properties</b>	
<b>Glass thickness</b>	8-12 mm
<b>Material</b>	brass

**Door knob**  
**NLO-GŁ-2801-G**



<b>Product code</b>	<b>Finish</b>
NLO-GŁ-2801-G	gold
<b>Properties</b>	
<b>Glass thickness</b>	8-12 mm
<b>Material</b>	brass


**Doorstep**  
**NTFALL11-G**



<b>Product code</b>	<b>Finish</b>
NTFALL11-G	gold
<b>Properties</b>	
<b>Material</b>	aluminium
<b>Length</b>	2000 mm

Door handle 19x19 mm


NLO-ZD-2856-G



<b>Product code</b>	<b>Finish</b>
NLO-ZD-2856-G	gold
<b>Properties</b>	
<b>Material</b>	Stainless steel

„U” Profile


NLO-KP-2961-G



<b>Product code</b>	<b>L</b>	<b>Finish</b>
NLO-KP-2961-2,5-G	2500 mm	gold
NLO-KP-2961-3,0-G	3000 mm	gold
<b>Properties</b>		
<b>Material</b>	aluminium	
<b>Glass thickness</b>	8 mm	

**Sliding system**

**S003-G**





Accessory set

NLO-DP03-S003-G



One set consists of:

Roller	2 pc.
Connector bar-wall	2 pc.
Connector glass-bar	2 pc.
Door stopper	2 pc.
Floor door stopper	2 pc.
Door handle	1 pc.
Floor guide	1 pc.


Attention: For mounting purposes, header bar needs 2 holes:

2x Ø10mm through the bar

Product code	Finish
NLO-DP03-S003-G	gold
Properties	
Max. door weight	65 kg
Glass thickness	8-12 mm
Material	stainless steel
Max. length	2000 mm

Header bar



NLO-DP03-S003-8-2-G



Product code	L	Finish
NLO-DP03-S003-8-2-G	2000 mm	gold
Properties		
Material	stainless steel	

Connector bar-bar 90°


NLO-DP03-S003-3-G



Product code	Finish
NLO-DP03-S003-3-G	gold
Properties	
Material	stainless steel

Point holder for fixed panel


NPC1213-G




Product code	Finish
NPC1213-G	gold
Properties	
Material	stainless steel

Mounting schema  
S003 system


Scale 2:1



fixed panel




glass door




Usage example no. 1

Corner shower -  
single sliding door




Usage example no. 2

Wall-wall shower -  
single sliding door





Usage example no. 3

Corner shower -  
double sliding door



To properly design the cabin,  
please contact our sales specialists.  
Be careful! Different glass preparation!




02

FITTINGS FOR  
GLASS SHOWERS  
**BLACK SERIES**

Swing hinge wall-glass 90° VERONA


VER-BJ-90-B



<b>Product code</b>	<b>Finish</b>
VER-BJ-90-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge wall-glass 90° VERONA




VER-BJ-90T-B



<b>Product code</b>	<b>Finish</b>
VER-BJ-90T-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge glass-glass 90° VERONA





VER-BJ-90GG-B



<b>Product code</b>	<b>Finish</b>
VER-BJ-90GG-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge glass-glass 135° VERONA




VER-BJ-135-B



<b>Product code</b>	<b>Finish</b>
VER-BJ-135-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge glass-glass 180° VERONA



VER-BJ-180-B



<b>Product code</b>	<b>Finish</b>
VER-BJ-180-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

**Lift hinge wall-glass 90° left VERONA SLIM**



**VER-SLIM-90-L-B**



<b>Product code</b>	<b>Finish</b>
VER-SLIM-90-L-B	black
<b>Properties</b>	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

**Lift hinge wall-glass 90° right VERONA SLIM**




**VER-SLIM-90-R-B**





<b>Product code</b>	<b>Finish</b>
VER-SLIM-90-R-B	black
<b>Properties</b>	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Lift hinge wall-glass 90° left VERONA SLIM

VER-SLIM-B90-L-B






<b>Product code</b>	<b>Finish</b>
VER-SLIM-B90-L-B	black
<b>Properties</b>	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg





Lift hinge wall-glass 90° right VERONA SLIM

VER-SLIM-B90-R-B





<b>Product code</b>	<b>Finish</b>
VER-SLIM-B90-R-B	black
<b>Properties</b>	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg





**Lift hinge glass-glass left 180° VERONA SLIM**



**VER-SLIM-180-L-B**



<b>Product code</b>	<b>Finish</b>
VER-SLIM-180-L-B	black
<b>Properties</b>	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

**Lift hinge glass-glass right 180° VERONA SLIM**





**VER-SLIM-180-R-B**



<b>Product code</b>	<b>Finish</b>
VER-SLIM-180-R-B	black
<b>Properties</b>	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Connector wall-glass VERONA SLIM





VER-SLIM-900-B



<b>Product code</b>	<b>Finish</b>
VER-SLIM-900-B	black
<b>Properties</b>	
Glass thickness	6-10 mm
Material	brass

Connector wall-glass 90° VERONA SLIM




VER-SLIM-901-B



<b>Product code</b>	<b>Finish</b>
VER-SLIM-901-B	black
<b>Properties</b>	
Glass thickness	6-10 mm
Material	brass

Connector glass-glass 90° VERONA SLIM




VER-SLIM-902-B



<b>Product code</b>	<b>Finish</b>
VER-SLIM-902-B	black
<b>Properties</b>	
<b>Glass thickness</b>	6-10 mm
<b>Material</b>	brass

Connector glass-glass VERONA SLIM




VER-SLIM-903-B





<b>Product code</b>	<b>Finish</b>
VER-SLIM-903-B	black
<b>Properties</b>	
<b>Glass thickness</b>	6-10 mm
<b>Material</b>	brass

Lift hinge wall-glass left VERONA

VER-A90-L-B






<b>Product code</b>	<b>Finish</b>
VER-A90-L-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass





Lift hinge wall-glass left 90° VERONA

VER-A90-R-B




<b>Product code</b>	<b>Finish</b>
VER-A90-R-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass



**Lift hinge wall-glass right 90° VERONA**


**VER-B90-R-B**



<b>Product code</b>	<b>Finish</b>
VER-B90-R-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass

**Lift hinge wall-glass left 90° VERONA**




**VER-B90-L-B**



<b>Product code</b>	<b>Finish</b>
VER-B90-L-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass

Lift hinge glass-glass left 135° VERONA




VER-135-L-B



<b>Product code</b>	<b>Finish</b>
VER-135-L-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass

Lift hinge glass-glass right 135° VERONA



VER-135-R-B



<b>Product code</b>	<b>Finish</b>
VER-135-R-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass

**Lift hinge glass-glass right 180° VERONA**



**VER-180-L-B**



<b>Product code</b>	<b>Finish</b>
VER-180-L-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass

**Lift hinge glass-glass right 180° VERONA**






**VER-180-R-B**



<b>Product code</b>	<b>Finish</b>
VER-180-R-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass

Screen hinge wall-glass

NLO-KP-S012P





Product code	Glass thickness	Hinge length	Finish
NLO-KP-S012-2,1-6-B	6 mm	2100 mm	black
<b>Properties</b>			
Material	aluminium		
Maximum load	35 kg		
Maximum width of glass	900 mm		



### Connector wall-glass



#### NTL4000D1-B



<b>Product code</b>	<b>Finish</b>
NTL4000D1-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Material	brass

### Connector glass-glass 90°



#### NTL4090-B



<b>Product code</b>	<b>Finish</b>
NTL4090-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Material	brass

### Connector wall-glass





#### NTL7000D1-B



<b>Product code</b>	<b>Finish</b>
NTL7000D1-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Material	brass

Connector wall-glass 90°






NTL7090D-B



Product code	Finish
NTL7090D-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Connector glass-glass 90°






NTL7090-B



Product code	Finish
NTL7090-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Adjustable connector wall-glass



NTL7090AD-B



Product code	Finish
NTL7090AD-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

**Left corner stabilizer 220x140**



**C500L-B**



<b>Product code</b>	<b>Finish</b>
C500L-B	black
<b>Properties</b>	
<b>Material</b>	brass
<b>Glass thickness</b>	8-12 mm
<i>Drilling holes in glass not needed</i>	

**Right corner stabilizer 220x140**



**C500R-B**



<b>Product code</b>	<b>Finish</b>
C500R-B	black
<b>Properties</b>	
<b>Material</b>	brass
<b>Glass thickness</b>	8-12 mm
<i>Drilling holes in glass not needed</i>	

**Mounting bar-wall 90°**



**NLO-KP-2721-B**



<b>Product code</b>	<b>Finish</b>
NLO-KP-2721-B	black
<b>Properties</b>	
<b>Material</b>	brass

**Adjustable open mounting bar-glass**



**NLO-KP-2723B-B**



<b>Product code</b>	<b>Finish</b>
NLO-KP-2723B-B	black
<b>Properties</b>	
<b>Material</b>	brass

**Adjustable closed mounting bar-glass**




**NLO-KP-2724-B**



<b>Product code</b>	<b>Finish</b>
NLO-KP-2724-B	black
<b>Properties</b>	
<b>Material</b>	brass

### Three-way connector



NLO-KP-2726-B



<b>Product code</b>	<b>Finish</b>
NLO-KP-2726-B	black
<b>Properties</b>	
<b>Material</b>	brass

### Adjustable mounting bar-wall


NTK-TW-011-B



<b>Product code</b>	<b>Finish</b>
NTK-TW-011-B	black
<b>Properties</b>	
<b>Material</b>	brass

### Stabilizer bar Ø19




NLO-KP-2728-B



<b>Product code</b>	<b>L</b>	<b>Finish</b>
NLO-KP-2728-1,0-B	1000 mm	black
NLO-KP-2728-1,5-B	1500 mm	black
<b>Properties</b>		
<b>Material</b>	stainless steel	

Mounting wall-bar 90°




NTKSQ807-G



Product code	Finish
NTKSQ807-B	black
Properties	
Material	brass

Closed mounting bar-glass 90°





NTKSQ817-B



Product code	Finish
NTKSQ817-B	black
Properties	
Material	brass

Mounting bar-glass-ceiling


NTKSQ817B-B



Product code	Finish
NTKSQ817B-B	black
Properties	
Material	brass

**Adjustable mounting wall-bar**


**NTKSQ819-B**



<b>Product code</b>	<b>Finish</b>
NTKSQ819-B	black
<b>Properties</b>	
<b>Material</b>	brass

**Adjustable mounting bar-glass**


**NTKSQ820-B**



<b>Product code</b>	<b>Finish</b>
NTKSQ820-B	black
<b>Properties</b>	
<b>Material</b>	brass

**Open side mounting bar-glass**



**NTKSQ821-B**



<b>Product code</b>	<b>Finish</b>
NTKSQ821-B	black
<b>Properties</b>	
<b>Material</b>	brass

Adjustable mounting bar-glass



NTKSQ822-B



<b>Product code</b>	<b>Finish</b>
NTKSQ822-B	black
<b>Properties</b>	
<b>Material</b>	brass

Three-way connector



NTKSQ803-B



<b>Product code</b>	<b>Finish</b>
NTKSQ803-B	black
<b>Properties</b>	
<b>Material</b>	brass

Stabilizer bar 10x20mm

NTK1020-B






<b>Product code</b>	<b>L</b>	<b>Finish</b>
NTK1020-1000-B	1000 mm	black
NTK1020-1500-B	1500 mm	black
<b>Properties</b>		
<b>Material</b>	stainless steel	



**Door knob**




**NLO-GŁ-2801-B**



<b>Product code</b>	<b>Finish</b>
NLO-KP-2801-B	black
<b>Properties</b>	
<b>Glass thickness</b>	8-12 mm
<b>Material</b>	brass

**Door knob**





**NLO-GŁ-2803-B**



<b>Product code</b>	<b>Finish</b>
NLO-KP-2803-B	black
<b>Properties</b>	
<b>Glass thickness</b>	8-12 mm
<b>Material</b>	brass





**Door knob**

**NLO-GŁ-51-B**





<b>Product code</b>	<b>Finish</b>
NLO-GŁ-51-B	black
<b>Properties</b>	
<b>Glass thickness</b>	8-12 mm
<b>Material</b>	brass

**Door knob**  
**NLO-GŁ-52-B**



<b>Product code</b>	<b>Finish</b>
NLO-GŁ-52-B	black
<b>Properties</b>	
Glass thickness	8-12 mm
Material	brass



**Door handle 19x19 mm**  
**NLO-ZD-2856-B**



<b>Product code</b>	<b>Finish</b>
NLO-ZD-2856-B	black
<b>Properties</b>	
Material	stainless steel

Door handle Ø19 mm



NLO-ZD-2816-B



Product code	Finish
NLO-ZD-2816-B	black
Properties	
Material	stainless steel

Sliding door handle



NTDL-55-B



Product code	Finish
NTDL-55-B	black
Properties	
Glass thickness	8-12 mm
Material	stainless steel

Sliding door handle



NTDL-70-B



Product code	Finish
NTDL-70-B	black
Properties	
Glass thickness	8 mm
Material	stainless steel

Seal




NLO-KP-2900



<b>Product code</b>	<b>Finish</b>
NLO-KP-2900-8-2,5-B	black
<b>Properties</b>	
<b>Length</b>	2500 mm
<b>Glass thickness</b>	8 mm

Seal



NLO-KP-2902



<b>Product code</b>	<b>Finish</b>
NLO-KP-2902-8-2,5-B	black
<b>Properties</b>	
<b>Length</b>	2500 mm
<b>Glass thickness</b>	8 mm

Seal



NLO-KP-2905S



<b>Product code</b>	<b>Finish</b>
NLO-KP-2905S-8-2,5-B	black
<b>Properties</b>	
<b>Length</b>	2500 mm
<b>Glass thickness</b>	8 mm

Seal



NLO-KP-2905



<b>Product code</b>	<b>Finish</b>
NLO-KP-2905-8-2,5-B	black
<b>Properties</b>	
<b>Length</b>	2500 mm
<b>Glass thickness</b>	8 mm

Seal




NLO-KP-2906



<b>Product code</b>	<b>Finish</b>
NLO-KP-2906-8-2,5-B	black
<b>Properties</b>	
<b>Length</b>	2500 mm
<b>Glass thickness</b>	8 mm

Seal




NLO-KP-2909



<b>Product code</b>	<b>Finish</b>
NLO-KP-2909-8-2,5-B	black
<b>Properties</b>	
<b>Length</b>	2500 mm
<b>Glass thickness</b>	8 mm

Seal



NLO-KP-2910



<b>Product code</b>	<b>Finish</b>
NLO-KP-2910-8-2,5-B	black
<b>Properties</b>	
Glass thickness	8 mm
Length	2500 mm

Seal




NLO-KP-2913



<b>Product code</b>	<b>Finish</b>
NLO-KP-2913-8-2,5-B	black
<b>Properties</b>	
Glass thickness	8 mm
Length	2500 mm

Aluminium seal profile

NG-NFK-B




<b>Product code</b>	<b>Finish</b>
NG-NFK-B	black
<b>Properties</b>	
Length	2000 mm
Material	aluminium

Prepared for 8 mm seals

Connector 90° doorstep-doorstep


NTFA90-B



<b>Product code</b>	<b>Finish</b>
NTFA90-B	black
<b>Properties</b>	
<b>Material</b>	ABS

Doorstep


NTFALL11-B



<b>Product code</b>	<b>Finish</b>
NTFALL11-B	black
<b>Properties</b>	
<b>Material</b>	aluminium
<b>Length</b>	2000 mm

Connector 90° doorstep-glass left

NTFA90L-B



<b>Product code</b>	<b>Finish</b>
NTFA90L-B	black
<b>Properties</b>	
<b>Glass thickness</b>	8 mm
<b>Material</b>	ABS

Connector 90° doorstep-glass right


NTFA90R-B



<b>Product code</b>	<b>Finish</b>
NTFA90R-B	black
<b>Properties</b>	
<b>Glass thickness</b>	8 mm
<b>Material</b>	ABS

Connector 180° doorstep-glass left


NTFA180L-B



<b>Product code</b>	<b>Finish</b>
NTFA180L-B	black
<b>Properties</b>	
<b>Glass thickness</b>	8 mm
<b>Material</b>	ABS

Connector 180° doorstep-glass right


NTFA180R-B



<b>Product code</b>	<b>Finish</b>
NTFA180R-B	black
<b>Properties</b>	
<b>Glass thickness</b>	8 mm
<b>Material</b>	ABS

„U” Profile


NLO-KP-2961-B



Product code	L	Finish
NLO-KP-2961-2,0-B	2000 mm	black
NLO-KP-2961-2,5-B	2500 mm	black
NLO-KP-2961-3,0-B	3000 mm	black
NLO-KP-2961-5,0-B	5000 mm	black
NLO-KP-2961-6,0-B	6000 mm	black
Properties		
Material	aluminium	
Glass thickness	8 mm	

Endcap for „U” profile


NLO-KP-2961-Z-B



Product code	Finish
NLO-KP-2961-Z-B	black
Properties	
Material	stainless steel

„U” Profile


NLO-KP-2961-10-B



Product code	L	Finish
NLO-KP-2961-10-2,5-B	2500 mm	black
NLO-KP-2961-10-3,0-B	3000 mm	black
Properties		
Material	aluminium	
Glass thickness	10 mm	

Endcap for „U” profile

NLO-KP-2961-10-Z-B




Product code	Finish
NLO-KP-2961-10-Z-B	black
Properties	
Material	stainless steel



Endcap for „U” profile


NLO-KP-3500-Z-B



<b>Product code</b>	<b>Finish</b>
NLO-KP-3500-Z-B	black
<b>Properties</b>	
<b>Material</b>	stainless steel

High „U” Profile


NLO-KP-3500-B



<b>Product code</b>	<b>L</b>	<b>Finish</b>
NLO-KP-3500-2,5-B	2500 mm	black
NLO-KP-3500-5,0-B	5000 mm	black
<b>Properties</b>		
<b>Material</b>	aluminium	
<b>Glass thickness</b>	8-12 mm	

Endcap for „U” profile


NLO-KP-3000-Z-B



<b>Product code</b>	<b>Finish</b>
NLO-KP-3000-Z-B	black
<b>Properties</b>	
<b>Material</b>	stainless steel

„U” Profile



NLO-KP-3000-B



<b>Product code</b>	<b>L</b>	<b>Finish</b>
NLO-KP-3000-2,0-B	2000 mm	black
NLO-KP-3000-2,5-B	2500 mm	black
NLO-KP-3000-3,0-B	3000 mm	black
NLO-KP-3000-5,0-B	5000 mm	black
NLO-KP-3000-6,0-B	6000 mm	black
<b>Properties</b>		
<b>Material</b>	aluminium	
<b>Glass thickness</b>	8-12 mm	

Seal for „U” Profiles


NLO-KP-3000-8



Glass 8 mm

Glass 10 mm



Glass 12 mm




<b>Product code</b>	<b>Finish</b>
NLO-KP-3000-8	colourless
NLO-KP-3000-8-B	black
<b>Properties</b>	
<b>Material</b>	PVC

Seal for „U” Profiles

NLO-KP-3500-6



Glass 6 mm



<b>Product code</b>	<b>Finish</b>
NLO-KP-3500-6	colourless
NLO-KP-3500-6-B	black
<b>Properties</b>	
<b>Material</b>	PVC

*Sliding system*

*S002-B*



Accessory set  
NLO-DP02-S002-B




<b>Product code</b>	<b>Finish</b>
NLO-DP02-S002-B	black
<b>Properties</b>	
Maximum door weight	65 kg
Glass thickness	8-10 mm
Material	brass
Maximum length	2000 mm

<b>One set consists of:</b>	
Sliding roller	2 pc.
Connector profile-wall	2 pc.
End-stopper	2 pc.
Handle	1 pc.
Guides	1 pc.
Key for sliding roller	1 pc.

Sliding profile


NLO-DP02-S002-2-B



<b>Product code</b>	<b>Finish</b>
NLO-DP02-S002-2-B	black
<b>Properties</b>	
Material	aluminium
Profile length	2000 mm

Angular guideway connector 90°



NLO-DP02-S002-3-B




<b>Product code</b>	<b>Finish</b>
NLO-DP02-S002-3-B	black
<b>Properties</b>	
Material	ABS

Mounting schema

S002 system




Scale 2:1




Usage example no. 1

Corner shower -  
single sliding door




Usage example no. 2

Wall-wall shower -  
single sliding door



Usage example no. 3

Corner shower -  
double sliding door



To properly design the cabin,  
please contact our sales specialists.  
Be careful! Different glass preparation!

*Sliding system*

*S003-B*



Accessory set

NLO-DP03-S003-B




One set consists of:	
Roller	2 pc.
Connector bar-wall	2 pc.
Connector glass-bar	2 pc.
Door stopper	2 pc.
Floor door stopper	2 pc.
Door handle	1 pc.
Floor guide	1 pc.

Attention: For mounting purposes, header bar needs 2 holes:  
2x Ø10mm through the bar

Product code	Finish
NLO-DP03-S003-B	black
Properties	
Max. door weight	65 kg
Glass thickness	8-12 mm
Material	stainless steel
Max. length	2000 mm

Header bar


NLO-DP03-S003-8-2-B



Product code	L	Finish
NLO-DP03-S003-8-2-B	2000 mm	black
Properties		
Material	stainless steel	

Connector bar-bar 90°


NLO-DP03-S003-3-B



Product code	Finish
NLO-DP03-S003-3-B	black
Properties	
Material	stainless steel

Point holder for fixed panel

NPC1213-B




Product code	Finish
NPC1213-B	black
Properties	
Material	stainless steel


Mounting schema

S003 system


Scale 2:1



fixed panel



glass door



Usage example no. 1




Corner shower -  
single sliding door

Usage example no. 2

Wall-wall shower -  
single sliding door

Usage example no. 3

Corner shower -  
double sliding door



To properly design the cabin,  
please contact our sales specialists.  
Be careful! Different glass preparation!